

Colour and shade variation are inherent qualities in all fired ceramic products.



Natural Bricks

**CLINKER BRICK TILES**


Clinker Brick tiles are extruded from high-quality natural clay without added fluxes and produced in three colours. Production is by a single 44 hours firing at a maximum temperature of 1.360°C, giving bricks a natural blend of shades with excellent technical performance.

**What are the Technical Advantages of Clinker Tiles?**

- They have exceptional *Hardness* (like granite) with Strong Resistance to *Impact* and *Thermal Shock*
- Minimal *Water Absorption*
- The high *Slip Resistance Rating* of R12
- A *Scratch Hardness Rating*, equivalent to hardened steel (MOHS 8)
- Resistant to *Acids and Chemicals*
- *Frost Resistant*
- They have a *High Mechanical Bend Strength*

Brick Tile Size 240x52x14mm - Angular Brick Size 240x11x52x14mm - Bricks per square metre 66.6

Basalto



Lava



Natural



Colour and shade variation are inherent qualities in all fired ceramic products.



Lava Brick



Natural Brick



Colour and shade variation are inherent qualities in all fired ceramic products.



Basalto Bricks

The Middle Earth Tile Company Ltd, 194 Great North Road,  
Grey Lynn, Auckland, New Zealand

Telephone - +64 9 523 4080 or +64 9 360 2638  
sales@middleearthtiles.co.nz - www.middleearthtiles.co.nz